


# INDEX

| ARCHITECTURAL PROFILES        |          |                               |          |                          |          |
|-------------------------------|----------|-------------------------------|----------|--------------------------|----------|
| DRAWING NO.                   | PAGE NO. | DRAWING NO.                   | PAGE NO. | DRAWING NO.              | PAGE NO. |
| <b>WINDOWS SERIES</b>         |          | SINTEX A GROOVE               |          | HANDLE WITH OUTER LEG    |          |
| 1/2" HANDLE                   |          | 1076                          | 30       | EXT-1007                 | 34       |
| 1049                          | 28       | 1077                          | 30       | INTERLOCK WITHOUT GROOVE |          |
| 1050                          | 28       | 1078                          | 30       | EXT-1008                 | 34       |
| 1/2" TOP BOTTOM               |          | 1079                          | 30       | 20mm BEARING TOP BOTTOM  |          |
| 1036                          | 28       | 1080                          | 30       | EXT-1009                 | 34       |
| 1/2" INTERLOCK                |          | SINTEX U                      |          | 1"x3" BEARING TOP BOTTOM |          |
| 1051                          | 28       | 1081                          | 30       | EXT-3148                 | 34       |
| 1/2" BEARING TOP BOTTOM       |          | 3/4" MATTING                  |          | 1"x3" HANDLE             |          |
| 1052                          | 28       | 1082                          | 30       | EXT-3149                 | 34       |
| 3/4" HANDLE                   |          | 1" MATTING                    |          | 4"x2" LOWER              |          |
| 1053                          | 28       | 1083                          | 30       | EXT-3413                 | 34       |
| 1054                          | 28       | HANDLE WITH OUTER LEG         |          |                          |          |
| 1055                          | 28       | 1084                          | 31       |                          |          |
| 1056                          | 28       | HANDLE WITH INNER LEG         |          |                          |          |
| 1057                          | 28       | 1085                          | 31       |                          |          |
| 3/4" TOP BOTTOM               |          | INTERLOCK WITHOUT GROOVE      |          |                          |          |
| 1058                          | 28       | 1086                          | 31       |                          |          |
| 1059                          | 28       | INTERLOCK WITH INNER LEG      |          |                          |          |
| 1060                          | 28       | 1087                          | 31       |                          |          |
| 1061                          | 28       | 3/4" TAPER HANDLE             |          |                          |          |
| 1062                          | 28       | 1088                          | 31       |                          |          |
| 3/4" INTERLOCK                |          | 3/4" TAPER BEARING BOTTOM     |          |                          |          |
| 1063                          | 28       | 1089                          | 31       |                          |          |
| 1064                          | 28       | 3/4" TAPER INTERLOCK          |          |                          |          |
| 1065                          | 28       | 1090                          | 32       |                          |          |
| 1066                          | 28       | 1" HANDLE 43mm                |          |                          |          |
| 3/4" BEARING TOP BOTTOM       |          | 1091                          | 32       |                          |          |
| 1067                          | 29       | 1092                          | 32       |                          |          |
| 1068                          | 29       | 1" HANDLE 50mm                |          |                          |          |
| 1069                          | 29       | 1093                          | 32       |                          |          |
| 1070                          | 29       | 1094                          | 32       |                          |          |
| 3/4" HANDLE WITHOUT GROOVE    |          | 1" INTERLOCK                  |          |                          |          |
| 1071                          | 29       | 1095                          | 32       |                          |          |
| 3/4" INTERLOCK WITHOUT GROOVE |          | 1096                          | 32       |                          |          |
| 1072                          | 29       | 1" BEARING TOP BOTTOM         |          |                          |          |
| 18 X 60 HANDLE                |          | 1097                          | 32       |                          |          |
| 1197                          | 29       | 3" X 1" HANDLE                |          |                          |          |
| 18 X 60 INTERLOCK WITH LEG    |          | 1098                          | 32       |                          |          |
| 1198                          | 29       | INTERLOCK 18 X 50 WITHOUT LEG |          |                          |          |
| 18 X 60 INTERLOCK WITHOUT LEG |          | 1048                          | 33       |                          |          |
| 1193                          | 29       | 1" X 3" MATING                |          |                          |          |
| 18 X 60 BEARING TOP BOTT.     |          | 1099                          | 33       |                          |          |
| 1199                          | 29       | INTERLOCK 18 X 50 WITH LEG    |          |                          |          |
| SINTEX WINDOWS SERIES         |          | 1100                          | 33       |                          |          |
| SINTEX H WITHOUT GROOVE       |          | HANDLE 18 X 50                |          |                          |          |
| 1073                          | 30       | 1101                          | 33       |                          |          |
| SINTEX A WITHOUT GROOVE       |          | SOLID BEARING BOTTOM          |          |                          |          |
| 1074                          | 30       | 1102                          | 33       |                          |          |
| SINTEX H GROOVE               |          | AJEX HANDLE                   |          |                          |          |
| 1075                          | 30       | 1103                          | 33       |                          |          |
|                               |          | 1104                          | 33       |                          |          |

# WINDOWS SERIES

## 1/2" HANDLE




| Sr. No. | Section No. | T    | Wt. / Mtr In Kgs | Wt. Range Gms / 12' |
|---------|-------------|------|------------------|---------------------|
| 1       | 1049        | 0.65 | 0.245            | 900 - 1000          |
| 2       | 1050        | 1.00 | 0.328            | 1200 - 1300         |

## 1/2" TOP BOTTOM

1036


0.219 Kg/M



## 1/2" INTERLOCK

1051


0.245 Kg/M




## 1/2" BEARING TOP BOTTOM

1052

0.218 Kg/M




## 3/4" HANDLE




| Sr. No. | Section No. | T    | Wt. / Mtr In Kgs | Wt. Range Gms / 12' |
|---------|-------------|------|------------------|---------------------|
| 1       | 1053        | 0.80 | 0.327            | 1200 - 1400         |
| 2       | 1054        | 0.91 | 0.382            | 1400 - 1600         |
| 3       | 1055        | 1.05 | 0.437            | 1600 - 1800         |
| 4       | 1056        | 1.17 | 0.491            | 1800 - 2000         |
| 5       | 1057        | 1.30 | 0.546            | 2000 - 2200         |

## 3/4" TOP BOTTOM



| Sr. No. | Section No. | T    | Wt. / Mtr In Kgs | Wt. Range Gms / 12' |
|---------|-------------|------|------------------|---------------------|
| 1       | 1058        | 0.80 | 0.327            | 1200 - 1400         |
| 2       | 1059        | 0.91 | 0.382            | 1400 - 1600         |
| 3       | 1060        | 1.05 | 0.437            | 1600 - 1800         |
| 4       | 1061        | 1.17 | 0.491            | 1800 - 2000         |
| 5       | 1062        | 1.30 | 0.546            | 2000 - 2200         |


## 3/4" INTERLOCK



| Sr. No. | Section No. | T    | Wt. / Mtr In Kgs | Wt. Range Gms / 12' |
|---------|-------------|------|------------------|---------------------|
| 1       | 1063        | 0.85 | 0.382            | 1300 - 1500         |
| 2       | 1064        | 0.90 | 0.424            | 1500 - 1700         |
| 3       | 1065        | 1.20 | 0.520            | 1800 - 2000         |
| 4       | 1066        | 1.30 | 0.537            | 2000 - 2200         |

# WINDOWS SERIES

## 3/4" BEARING TOP BOTTOM




| Sr. No. | Section No. | T    | Wt. / Mtr<br>In Kgs | Wt. Range<br>Gms / 12' |
|---------|-------------|------|---------------------|------------------------|
| 1       | 1067        | 0.80 | 0.368               | 1350 - 1500            |
| 2       | 1068        | 0.90 | 0.409               | 1500 - 1700            |
| 3       | 1069        | 1.20 | 0.520               | 1800 - 2000            |
| 4       | 1070        | 1.30 | 0.573               | 2000 - 2200            |

## 3/4" HANDLE WITHOUT 'G'

1071


0.260 Kg/M



## 3/4" INTERLOCK WITHOUT 'G'

1072


0.348 Kg/M



## HANDLE 18 X 60

1197


0.521 Kg/M



## 18 X 60 INTERLOCK WITH LEG

1198


0.645 Kg/M



## 18 X 60 INTERLOCK WITHOUT LEG

1193


0.618 Kg/M



## BEARING TOP BOTTOM 18 X 60


1199

0.646 Kg/M




# SINTEX WINDOWS SERIES

## SINTEX H WITHOUT GROOVE



| Sr. No. | Section No. | T    | Wt. / Mtr<br>In Kgs | Wt. Range<br>Gms / 12' |
|---------|-------------|------|---------------------|------------------------|
| 1       | 1073        | 1.00 | 0.437               | 1550 - 1750            |


## SINTEX A WITHOUT GROOVE




| Sr. No. | Section No. | T    | Wt. / Mtr<br>In Kgs | Wt. Range<br>Gms / 12' |
|---------|-------------|------|---------------------|------------------------|
| 1       | 1074        | 0.80 | 0.243               | 850 - 1050             |

## SINTEX H GROOVE

1075 0.469 Kg/M




## SINTEX A GROOVE



| Sr. No. | Section No. | T    | Wt. / Mtr<br>In Kgs | Wt. Range<br>Gms / 12' |
|---------|-------------|------|---------------------|------------------------|
| 1       | 1076        | 0.70 | 0.218               | 750 - 850              |
| 2       | 1077        | 0.80 | 0.245               | 850 - 950              |
| 3       | 1078        | 0.90 | 0.286               | 950 - 1100             |
| 4       | 1079        | 1.00 | 0.327               | 1100 - 1300            |
| 5       | 1080        | 1.20 | 0.409               | 1400 - 1600            |


## SINTEX U

1081 0.162 Kg/M




## 1" MATING

1083 0.650 Kg/M



## 3/4" MATING

1082 0.500 Kg/M




# WINDOWS SERIES

## HANDLE WITH OUTER LEG

1084


0.391 Kg/M



## HANDLE WITH INNER LEG

1085


0.494 Kg/M



## INTERLOCK WITHOUT GROOVE

1086


0.529 Kg/M



## INTERLOCK WITH INNER LEG

1087


0.565 Kg/M



## 3/4" TAPER HANDLE

1088


0.471 Kg/M



## 3/4" TAPER BEARING BOTTOM

1089

0.523 Kg/M




# WINDOWS SERIES


## 3/4" TAPER INTERLOCK

1090

0.607 Kg/M




## 1" HANDLE 43MM




| Sr. No. | Section No. | T    | Wt. / Mtr In Kgs | Wt. Range Gms / 12' |
|---------|-------------|------|------------------|---------------------|
| 1       | 1091        | 0.95 | 0.512            | 1850 - 2050         |
| 2       | 1092        | 1.10 | 0.574            | 2100 - 2300         |

## 1" HANDLE 50MM



| Sr. No. | Section No. | T    | Wt. / Mtr In Kgs | Wt. Range Gms / 12' |
|---------|-------------|------|------------------|---------------------|
| 1       | 1093        | 1.10 | 0.519            | 1800 - 2000         |
| 2       | 1094        | 1.28 | 0.574            | 2100 - 2300         |

## 1" INTERLOCK




| Sr. No. | Section No. | A    | B    | T    | Wt. / Mtr In Kgs | Wt. Range Gms / 12' |
|---------|-------------|------|------|------|------------------|---------------------|
| 1       | 1095        | 50.0 | 25.0 | 1.15 | 0.562            | 2060 - 2260         |
| 2       | 1096        | 42.8 | 25.0 | 1.19 | 0.601            | 2100 - 2300         |

## 1" BEARING TOP BOTTOM

1097


0.634 Kg/M



## 3" X 1" HANDLE

1098

0.918 Kg/M




## WINDOWS SERIES

### INTERLOCK 18 X 50 WITHOUT LEG

1048


0.556 Kg/M



### 1" X 3" MATTING

1099


0.628 Kg/M



### INTERLOCK 18 X 50 WITH LEG

1100


0.584 Kg/M



### HANDLE 18 X 50

1101


0.471 Kg/M



### SOLID BEARING BOT.

1102

0.390 Kg/M




## AJEX SECTION

### AJEX HANDLE

1103


0.910 Kg/M



### AJEX TOP BOTTOM

1104

0.930 Kg/M




# WINDOWS SERIES

## HANDLE WITH OUTER LEG

EXT-1007


0.424 Kg/M



## INTERLOCK WITHOUT GROOVE

EXT-1008


0.471 Kg/M



## 20mm BEARING TOP BOTTOM

EXT-1009


0.362 Kg/M



## 1"x3" BEARING TOP BOTTOM

EXT-3148


0.852 Kg/M



## 1"x3" HANDLE

EXT-3149

0.798 Kg/M



## 4"x2" LOWER

EXT-3413

0.528 Kg/M

