

INDEX


ARCHITECTURAL PROFILES					
DRAWING NO.	PAGE NO.	DRAWING NO.	PAGE NO.	DRAWING NO.	PAGE NO.
TRACK SERIES		1/2" FOUR TRACK BULB			
1 TRACK TOP		1139	42		
1105	40	1/2" FOUR TRACK PLAIN			
1 TRACK BOTTOM		1140	42		
1106	40	1" TWO TRACK TOP			
2 TRACK TOP		1141	42		
1107	40	1" TWO TRACK BOTTOM			
1108	40	1142	42		
1109	40	1" THREE TRACK TOP			
1110	40	1143	43		
2 TRACK BOTTOM		1" THREE TRACK BOTTOM			
1111	40	1144	43		
1112	40	1" FOUR TRACK TOP			
1113	40	1145	43		
1114	40	1" FOUR TRACK BOTTOM			
3 TRACK TOP		1146	43		
1115	40	30mm THREE TRACK BOTTOM			
1116	40	EXT -1005	44		
1117	40	30mm THREE TRACK TOP			
1118	40	EXT - 1006	44		
1119	40	46mm THREE TRACK TOP			
3 TRACK BOTTOM		EXT - 3133	44		
1120	40				
1121	40				
1122	40				
1123	40				
1124	40				
4 TRACK TOP					
1125	41				
1126	41				
1127	41				
4 TRACK BOTTOM					
1128	41				
1129	41				
1130	41				
5 TRACK TOP					
1131	41				
5 TRACK BOTTOM					
1132	41				
2 TRACK BOT.(HOLLOW)					
1133	41				
3 TRACK BOT.(HOLLOW)					
1134	41				
1/2" TWO TRACK PLAIN					
1135	42				
1/2" TWO TRACK BULB					
1136	42				
1/2" THREE TRACK PLAIN					
1137	42				
1/2" THREE TRACK BULB					
1138	42				

TRACK SERIES

ONE TRACK TOP

1105


0.256 Kg/M




ONE TRACK BOTTOM

1106

0.316 Kg/M




TWO TRACK TOP




Sr. No.	Section No.	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1107	0.80	0.414	1400 - 1600
2	1108	0.85	0.480	1600 - 1800
3	1109	0.92	0.519	1800 - 2000
4	1110	1.02	0.574	2000 - 2200

TWO TRACK BOTTOM




Sr. No.	Section No.	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1111	0.80	0.464	1600 - 1800
2	1112	0.89	0.519	1800 - 2000
3	1113	1.00	0.574	2000 - 2200
4	1114	1.10	0.628	2200 - 2250

THREE TRACK TOP



Sr. No.	Section No.	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1115	0.90	0.601	2100 - 2300
2	1116	1.03	0.656	2300 - 2500
3	1117	1.12	0.710	2500 - 2700
4	1118	1.21	0.765	2700 - 2900
5	1119	1.34	0.847	3000 - 3200


THREE TRACK BOTTOM



Sr. No.	Section No.	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1120	0.95	0.655	2400 - 2600
2	1121	1.02	0.710	2600 - 2800
3	1122	1.11	0.765	2800 - 3000
4	1123	1.20	0.820	3000 - 3200
5	1124	1.28	0.902	3200 - 3500


TRACK SERIES

FOUR TRACK TOP



Sr. No.	Section No.	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1125	0.90	0.819	3000 - 3200
2	1126	1.00	0.902	3300 - 3500
3	1127	1.40	1.258	4600 - 4800


FOUR TRACK BOTTOM



Sr. No.	Section No.	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1128	0.95	0.909	3200 - 3400
2	1129	1.10	0.984	3500 - 3700
3	1130	1.45	1.339	4800 - 5000


FIVE TRACK TOP

1131 1.035 Kg/M




FIVE TRACK BOTTOM

1132 1.677 Kg/M




TWO TRACK BOTTOM (HOLLOW)

1133 0.765 Kg/M



THREE TRACK BOTTOM (HOLLOW)

1134 0.930 Kg/M




TRACK SERIES

1/2" TWO TRACK PLAIN

1135


0.114 Kg/M



1/2" TWO TRACK BULB

1136


0.133 Kg/M



1/2" THREE TRACK PLAIN

1137


0.167 Kg/M



1/2" THREE TRACK BULB

1138


0.216 Kg/M



1/2" FOUR TRACK BULB

1139


0.348 Kg/M



1/2" FOUR TRACK PLAIN

1140


0.317 Kg/M



1" TWO TRACK TOP

1141


0.606 Kg/M



1" TWO TRACK BOTTOM

1142

0.719 Kg/M




TRACK SERIES

1" THREE TRACK TOP

1143


0.863 Kg/M



1" THREE TRACK BOTTOM

1144


1.072 Kg/M



1" FOUR TRACK TOP

1145


1.496 Kg/M



1" FOUR TRACK BOTTOM

1146

1.658 Kg/M




TRACK SERIES

EXT-1005

THREE TRACK BOTTOM


0.990 Kg/M



EXT-1006

THREE TRACK TOP

0.888 Kg/M



EXT-3133

THREE TRACK TOP

1.195 Kg/M

