

INDEX

ARCHITECTURAL PROFILES					
DRAWING NO.	PAGE NO.	DRAWING NO.	PAGE NO.	DRAWING NO.	PAGE NO.
FLAT BAR		EXT -1922	61	EXT -4206	60
2001	60	EXT -1956	61	EXT -4261	60
2002	60	EXT -2028	60	HALF ROUND FLAT BAR	
2003	60	EXT -2188	60	EXT -3638	62
2004	60	EXT -2189	60	EXT -3731	62
2005	60	EXT -2190	60	FULL R FLAT BAR	
2006	60	EXT -2191	60	EXT -3363	62
2007	60	EXT -2192	60	EXT -4021	62
2008	60	EXT -2203	61	EXT -4181	62
2009	60	EXT -2248	60	EXT -4182	62
2010	60	EXT -2334	60	EXT -4183	62
2011	60	EXT -2335	60	EXT -4184	62
2012	60	EXT -2339	61	EXT -4185	62
2013	60	EXT -2417	60	EXT -4186	62
2014	60	EXT -2418	60	EXT -4187	62
2015	60	EXT -2435	61	EXT -4188	62
2016	60	EXT -2595	61	EXT -4198	62
2017	60	EXT -2609	60	EXT -4199	62
2018	61	EXT -2662	60	EXT -4200	62
2019	61	EXT -2709	60	EXT -4201	62
2020	60	EXT -2726	61	EXT -4202	62
2021	60	EXT -2881	61	EXT -4430	62
2022	60	EXT -2924	60	EXT -4575	62
2023	61	EXT -2925	60	3R FLAT BAR	
2024	60	EXT -2992	61	2023	63
2025	60	EXT -3016	60	EXT -2882	63
2026	61	EXT -3033	61	EXT -3498	63
2027	60	EXT -3034	61	EXT -4130	63
2028	60	EXT -3035	61	FLUTED ANGLE	
2029	60	EXT -3061	61	2114	63
2030	61	EXT -3107	61	2115	63
2031	61	EXT -3173	61	UNEQUAL ANGLE	
2032	61	EXT -3220	60	EXT -805	63
2033	61	EXT -3232	60	EXT -1037	63
2034	61	EXT -3233	60	EXT -1824	63
2035	61	EXT -3234	60	EXT -3228	63
2036	61	EXT -3245	61	EXT -3230	63
2037	61	EXT -3260	60	EXT -3231	63
2038	61	EXT -3261	60	EXT -3341	63
EXT -87	60	EXT -3331	60	EXT -3421	63
EXT -91	60	EXT -3411	60	EXT -3762	63
EXT -142	60	EXT -3412	61	EXT -4469	63
EXT -1113	61	EXT -3584	60	PLAIN ANGLE	
EXT -1181	61	EXT -3597	60	EXT -227	64
EXT -1182	61	EXT -3631	61	EXT -266	64
EXT -1183	61	EXT -3632	61	EXT -1038	64
EXT -1442	61	EXT -3644	60	EXT -1106	64
EXT -1672	61	EXT -3875	60	EXT -1428	64
EXT -1673	61	EXT -3876	61	EXT -2112	64
EXT -1674	61	EXT -3992	60	EXT -2645	64
EXT -1675	61	EXT -4001	60	EXT -2958	64
EXT -1895	61	EXT -4146	60	EXT -3053	64

INDEX

ARCHITECTURAL PROFILES					
DRAWING NO.	PAGE NO.	DRAWING NO.	PAGE NO.	DRAWING NO.	PAGE NO.
EXT -3106	64	2516	68	EXT -1953	68
EXT -3229	64	2517	68	EXT -1954	68
EXT -3923	64	2529	67	EXT -1955	68
EXT -3932	64	8502	67	EXT -1958	67
SINGLE GLASS CHANELL		8509	68	EXT -1960	67
2201	65	8510	68	EXT -1961	67
2202	65	EXT -896	67	EXT -1962	67
2203	65	EXT -897	67	EXT -1963	67
2204	65	EXT -898	67	EXT -1964	67
2205	65	EXT -899	67	EXT -1965	67
2206	65	EXT -900	68	EXT -1966	68
2207	65	EXT -901	68	EXT -1967	68
2208	65	EXT -1065	67	EXT -1968	68
2209	65	EXT -1066	67	EXT -1969	68
2210	65	EXT -1070	67	EXT -2102	67
EXT -1281	65	EXT -1071	68	EXT -2197	67
EXT -2269	65	EXT -1072	67	EXT -2320	67
EXT -2932	65	EXT -1134	68	EXT -2355	68
EXT -3122	65	EXT -1177	68	EXT -2356	68
EXT -4097	65	EXT -1179	68	EXT -2437	67
EXT -4247	65	EXT -1221	68	EXT -2461	67
DOUBLE GLASS CHANELL		EXT -1222	67	EXT -2525	67
2211	66	EXT -1225	67	EXT -2615	68
2212	66	EXT -1226	68	EXT -2616	68
2213	66	EXT -1313	67	EXT -2617	68
2214	66	EXT -1314	67	EXT -2618	68
2215	66	EXT -1315	67	EXT -2646	67
BULB "T"		EXT -1316	67	EXT -2710	67
2401	66	EXT -1317	67	EXT -2794	68
2402	66	EXT -1366	67	EXT -2851	67
EXT -2113	66	EXT -1373	67	EXT -2873	68
EXT -2114	66	EXT -1383	67	EXT -2885	67
PLAIN "T"		EXT -1384	68	EXT -2886	68
2403	66	EXT -1387	67	EXT -2927	68
2404	66	EXT -1388	67	EXT -2931	67
EXT -1243	66	EXT -1446	67	EXT -2984	67
ARCHITECTURAL TUBES		EXT -1470	68	EXT -2986	68
PLAIN ROUND TUBES		EXT -1471	68	EXT -3064	67
2502	67	EXT -1474	68	EXT -3150	67
2503	67	EXT -1475	68	EXT -3151	67
2504	67	EXT -1476	68	EXT -3154	67
2505	67	EXT -1477	68	EXT -3204	68
2506	67	EXT -1478	68	EXT -3235	68
2507	67	EXT -1479	68	EXT -3236	68
2508	67	EXT -1615	67	EXT -3237	68
2509	67	EXT -1647	68	EXT -3238	68
2510	67	EXT -1690	68	EXT -3239	68
2511	68	EXT -1710	68	EXT -3240	68
2512	67	EXT -1829	68	EXT -3256	68
2513	68	EXT -1849	67	EXT -3326	67
2514	67	EXT -1850	67	EXT -3358	67
2515	68	EXT -1875	68	EXT -3361	68

INDEX


ARCHITECTURAL PROFILES					
DRAWING NO.	PAGE NO.	DRAWING NO.	PAGE NO.	DRAWING NO.	PAGE NO.
EXT -3362	68	2722	69	2908	72
EXT -3444	67	2723	69	2912	72
EXT -3507	67	2724	69	2915	72
EXT -3542	67	2725	69	EXT -2687	72
EXT -3543	67	2726	69	EXT -2688	72
EXT -3544	67	2727	69	EXT -2689	72
EXT -3696	67	2728	69	EXT -3221	72
EXT -3697	67	2729	69	HEXAGONAL PIPE	
EXT -3698	67	2730	69	EXT -1846	72
EXT -3729	68	2731	69	EXT -1847	72
EXT -3752	68	2732	69	EXT -4500	72
EXT -3877	68	EXT -741	69	18 mm FLUTED TUBES	
EXT -3878	68	EXT -1171	70	2801	73
EXT -3879	67	EXT -1353	69	24 mm FLUTED TUBES	
EXT -3905	68	EXT -1480	69	2802	73
EXT -3993	67	EXT -1481	69	2803	73
EXT -4027	68	EXT -1483	69	2804	73
EXT -4032	68	EXT -1484	69	SLOT ROUND TUBES	
EXT -4107	68	EXT -1485	69	2805	73
EXT -4158	67	EXT -1486	69	2806	73
EXT -4159	67	EXT -1487	69	2807	73
EXT -4180	68	EXT -1488	69	SQUARE TUBE	
EXT -4214	68	EXT -1489	69	2601	73
EXT -4218	68	EXT -1490	70	2602	73
EXT -4231	68	EXT -1491	70	2603	73
EXT -4232	68	EXT -1492	70	2604	73
EXT -4233	68	EXT -1600	69	EXT -298	73
EXT -4234	68	EXT -1643	69	EXT -1826	73
EXT -4248	67	EXT -1644	69	EXT -1827	73
EXT -4255	68	EXT -1668	70	EXT -2061	73
ROUND BARS		EXT -1669	70	EXT -3196	73
2701	69	EXT -1670	70	EXT -3921	73
2702	69	EXT -2071	70	EXT -3922	73
2703	69	EXT -2384	69	EXT -4000	73
2704	69	EXT -2668	70	RECTANGULAR TUBES	
2705	69	EXT -2878	69	1201	74
2706	69	EXT -4226	69	1202	74
2707	69	SQUARE BAR		1203	74
2708	69	2305	71	1204	74
2709	70	2306	71	1205	74
2710	69	2307	71	1206	74
2711	70	2309	71	1207	74
2712	70	2310	71	1208	74
2713	69	EXT -1465	71	1209	74
2714	69	EXT -1572	71	1210	74
2715	69	EXT -1573	71	1211	74
2716	69	EXT -1574	71	1212	74
2717	69	EXT -1676	71	1213	74
2718	69	EXT -2073	71	1214	74
2719	69	EXT -2667	71	1215	74
2720	69	HEXAGONAL BAR		1216	74
2721	69	2906	72	1217	74

INDEX

ARCHITECTURAL PROFILES					
DRAWING NO.	PAGE NO.	DRAWING NO.	PAGE NO.	DRAWING NO.	PAGE NO.
1218	74	SCREW			
1219	74	EXT -4101	78		
1220	74	TOWER BOLT			
1221	74	EXT -4102	78		
1222	74	EXT -4103	78		
1223	74				
1224	74				
1225	74				
1226	74				
1227	74				
1228	74				
1229	74				
1230	74				
1231	74				
1232	75				
1233	75				
1234	75				
EXT -906	74				
EXT -1104	74				
EXT -2258	75				
EXT -2642	74				
EXT -2701	75				
EXT -2783	74				
EXT -2807	75				
EXT -2870	74				
EXT -3177	75				
EXT -3178	75				
EXT -3419	74				
EXT -3920	74				
EXT -4235	74				
EXT -4355	75				
L – TUBES					
1.5 X 1.0 L TUBES					
1235	76				
1236	76				
2.0 X 1.0 L TUBES					
1237	76				
1238	76				
1.5 X 1.0 L TUBES					
1239	76				
3" X 1" L – TUBE					
1240	76				
TRIANGULAR TUBE					
2604	77				
EXT -2416	77				
DOOR CENTER					
1301	77				
SOLID 'T'					
EXT -4098	78				
HANDLE					
EXT -4099	78				
EXT -4100	78				

HARDWARE PROFILES

FLAT BAR




Sr. No.	Section No.	A	B	Wt. / Mtr In Kgs
1	2001	10.0	12.0	0.324
2	EXT-2191	15.0	10.0	0.405
3	2003	15.5	8.0	0.335
4	EXT-2609	16.0	3.00	0.129
5	EXT-4206	16.0	10.0	0.432
6	EXT-4146	16.8	3.8	0.172
7	EXT-2248	17.0	4.25	0.194
8	2002	20.0	5.00	0.269
9	EXT-142	20.0	6.0	0.324
10	EXT-2189	20.0	10.0	0.540
11	2004	20.0	15.0	0.810
12	2005	25.0	3.00	0.202
13	EXT-2334	25.0	5.0	0.337
14	EXT-2335	25.0	6.0	0.405
15	2006	25.0	8.0	0.540
16	EXT-3644	26.0	21.0	1.474
17	2008	30.0	2.0	0.162
18	2011	30.0	6.0	0.486
19	2007	30.0	10.0	0.809
20	EXT-2190	30.0	15.0	1.215
21	2012	30.0	22.0	1.781
22	2015	30.0	25.0	2.024
23	2016	35.0	2.0	0.189
24	2017	35.0	25.0	2.362
25	EXT-3016	38.0	6.35	0.651
26	2020	40.0	3.0	0.324
27	2009	40.0	6.00	0.648
28	EXT-2188	40.0	8.0	0.864
29	2010	40.0	10.0	1.080
30	2021	40.0	12.0	1.296
31	EXT-2709	43.5	2.0	0.235

Sr. No.	Section No.	A	B	Wt. / Mtr In Kgs
32	2022	45.0	2.0	0.243
33	EXT-2924	50.0	6.0	0.810
34	EXT-2925	50.0	10.0	1.349
35	2013	50.0	12.0	1.620
36	EXT-2192	50.0	15.0	2.024
37	EXT-2418	50.2	40.2	5.447
38	EXT-3220	50.8	38.0	5.210
39	EXT-2662	52.0	1.8	0.252
40	2024	52.0	12.0	1.684
41	EXT-2417	54.2	42.0	6.144
42	EXT-3331	58.0	55.0	8.610
43	EXT-3232	60.0	6.0	0.971
44	EXT-3233	60.0	8.0	1.295
45	EXT-3234	60.0	10.0	1.619
46	2014	60.0	12.0	1.944
47	2025	64.0	63.0	10.883
48	EXT-3411	63.0	2.5	0.425
49	EXT-3261	71.0	2.0	0.383
50	2027	75.0	6.0	1.215
51	EXT-87	75.0	10.0	2.025
52	EXT-3597	75.0	12.0	2.429
53	2028	75.0	50.0	10.121
54	EXT-3584	77.0	1.2	0.249
55	EXT-2028	80.0	6.0	1.296
56	EXT-91	80.0	10.0	2.159
57	EXT-4001	80.0	16.0	3.455
58	EXT-4261	85.0	15.0	3.427
59	EXT-3875	85.0	16.0	3.671
60	EXT-3992	85.0	16.0	3.671
61	2029	90.0	2.0	0.486
62	EXT-3260	90.0	2.5	0.607

HARDWARE PROFILES

FLAT BAR




Sr. No.	Section No.	A	B	Wt. / Mtr In Kgs
63	2030	92.0	2.0	0.497
64	EXT-3876	100.0	3.0	0.810
65	2018	100.0	6.00	1.620
66	EXT-3631	100.0	10.0	2.699
67	2019	100.0	12.0	3.240
68	EXT-2435	100.0	24.0	6.478
69	EXT-1956	100.0	30.0	8.097
70	EXT-1672	100.0	40.0	10.796
71	EXT-2726	101.0	77.0	20.990
72	EXT-1673	101.6	50.8	13.931
73	EXT-3107	103.5	3.0	0.838
74	EXT-3034	108.0	38.0	11.076
75	EXT-3173	115.0	75.0	23.279
76	EXT-3061	116.0	47.0	14.715
77	EXT-2595	118.0	53.0	16.880
78	2023	120.0	10.0	3.240
79	2031	125.0	5.0	1.687
80	2032	125.0	10.0	3.374
81	EXT-3035	127.0	46.0	15.768
82	EXT-1674	130.0	65.0	22.807
83	EXT-1182	140.5	16.0	6.067
84	EXT-1183	146.0	12.0	4.729
85	2033	150.0	2.0	0.810
86	EXT-3412	150.0	3.0	1.214
87	2026	150.0	6.0	2.430
88	EXT-2203	150.0	10.0	4.049
89	2034	150.0	12.0	4.858
90	EXT-2992	150.0	22.0	8.898
91	EXT-1675	150.0	75.0	30.364
92	2035	152.0	12.0	4.923
93	2036	152.0	76.0	31.179

Sr. No.	Section No.	A	B	Wt. / Mtr In Kgs
94	EXT-1113	154.0	2.0	0.831
95	2037	160.0	10.0	4.318
96	EXT-2339	160.0	40.0	17.274
97	EXT-3033	176.0	46.0	21.851
98	EXT-1181	193.0	13.5	7.032
99	2038	200.0	12.0	6.478
100	EXT-1895	200.0	12.5	6.748
101	EXT-3632	200.0	15.0	8.097
102	EXT-3245	200.0	50.0	26.990
103	EXT-2881	203.2	9.5	5.200
104	EXT-1442	225.0	13.5	8.198
105	EXT-1922	235.0	17.8	11.253


HARDWARE PROFILES

HALF ROUND FLAT BAR



Sr. No.	Section No.	A	R	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-3638	25.4	1.98	2.50	0.167	600 - 750
2	EXT-3731	25.4	1.98	2.65	0.177	600 - 750


FULL R FLAT BAR



Sr. No.	Section No.	A	B	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-4185	40.0	10.0	1.022	3700 - 3800
2	EXT-4187	50.0	10.0	1.292	4700 - 4800
3	EXT-4198	60.0	10.0	1.561	5700 - 5800
4	EXT-4199	75.0	10.0	1.966	7150 - 7250
5	EXT-4181	75.0	12.0	2.346	8550 - 8650
6	EXT-4184	80.0	10.0	2.101	7650 - 7750
7	EXT-3363	80.0	12.0	2.508	9150 - 9250
8	EXT-4182	80.0	16.0	3.306	12100 - 12200
9	EXT-4430	84.5	3.0	0.679	2450 - 2550
10	EXT-4186	100.0	10.0	2.641	9650 - 9750
11	EXT-4021	105.0	48.0	12.268	44900 - 45000
12	EXT-4200	110.0	10.0	2.911	10650 - 10750
13	EXT-4183	120.0	10.0	3.181	11600 - 11700
14	EXT-4201	140.0	10.0	3.721	13600 - 13700
15	EXT-4202	150.0	10.0	3.991	14600 - 14700
16	EXT-4575	150.0	16.0	6.329	23150 - 23250
17	EXT-4188	160.0	10.0	4.261	15550 - 15650


HARDWARE PROFILES

3 R FLAT BAR




Sr. No.	Section No.	A	B	R	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	2023	60.0	10.0	3.00	1.598	5800 - 5900
2	EXT-3498	120.0	10.0	3.00	3.218	11750 - 11850
3	EXT-2882	200.0	10.0	3.00	5.377	19650 - 19750
4	EXT-4130	200.0	8.0	3.00	4.298	15700 - 15800

FLUTED ANGLE



Sr. No.	Section No.	A	B	C	D	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	2114	12.0	12.0	0.30	0.40	0.027	100 - 140
2	2115	15.0	15.0	0.40	0.50	0.038	140 - 200


UNEQUAL ANGLE



Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-1824	19.0	12.0	1.2	0.097	350 - 450
2	EXT-805	19.0	12.0	1.6	0.127	450 - 550
3	EXT-1037	38.0	19.0	3.0	0.437	1550 - 1650
4	EXT-3341	45.0	11.0	2.0	0.291	1000 - 1100
5	EXT-3228	48.0	30.0	5.0	0.985	3600 - 3800
6	EXT-4469	50.0	25.0	3.0	0.582	2100 - 2300
7	EXT-3230	65.0	50.0	5.0	1.484	5400 - 5600
8	EXT-3231	76.0	38.0	6.3	1.831	6700 - 6900
9	EXT-3421	80.0	40.0	5.0	1.552	5650 - 5850
10	EXT-3762	100.0	50.0	3.0	1.190	4350 - 4550

HARDWARE PROFILES


PLAIN ANGLE



Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-3932	14.0	14.0	1.60	0.114	400 - 550
2	EXT-1106	19.0	19.0	2.00	0.194	700 - 800
3	EXT-2958	30.0	30.0	3.00	0.461	1650 - 1850
4	EXT-3106	32.0	32.0	1.10	0.187	650 - 800
5	EXT-2112	38.0	38.0	1.50	0.301	1100 - 1200
6	EXT-1038	38.0	38.0	2.50	0.496	1800 - 1900
7	EXT-3923	38.0	38.0	3.00	0.591	2100 - 2200
8	EXT-2645	40.0	40.0	4.00	0.820	3000 - 3200
9	EXT-227	50.0	50.0	3.00	0.785	2850 - 2950
10	EXT-266	50.0	50.0	4.00	1.036	3750 - 3850
11	EXT-3229	50.0	50.0	5.00	1.282	4650 - 4850
12	EXT-3053	50.8	50.8	3.00	0.798	2900 - 3100
13	EXT-1428	100	100	3.00	1.595	5800 - 5900

HARDWARE PROFILES


SINGLE GLASS CHANNEL



Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	2202	9.0	8.0	0.5	0.033	120 - 160
2	2203	12.0	12.0	0.6	0.054	220 - 260
3	EXT-4097	13.8	11.1	2.30	0.194	700-800
4	2206	14.0	20.0	2.30	0.269	900-1000
5	2201	15.0	11.0	0.88	0.083	296 - 496
6	2204	18.0	10.0	0.8	0.078	260 - 300
7	2205	24.0	12.0	0.7	0.087	350 - 450
8	EXT-1281	25.0	25.0	2.00	0.383	1400-1500
9	2209	28.0	19.0	2.00	0.334	1200-1300
10	2210	34.5	19.3	3.20	0.576	2050-2150
11	EXT-4247	38.0	9.0	3.00	0.405	1450-1550
12	2207	38.0	19.0	0.52	0.105	350 - 450
13	EXT-2269	38.0	19.0	2.00	0.389	1400-1500
14	2208	38.0	19.0	2.92	0.553	2080-2280
15	EXT-3122	122.0	85.0	5.00	3.805	13850-13950
16	EXT-2932	124.0	20.0	3.00	1.237	4500-4600


HARDWARE PROFILES

DOUBLE GLASS CHANNEL




Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	2212	15.0	10.0	0.88	0.100	400 - 600
2	2211	17.0	10.0	0.45	0.055	220 - 240
3	2213	18.0	10.0	0.65	0.064	220 - 250
4	2215	21.0	11.0	0.88	0.122	430 - 630
5	2214	22.0	12.0	0.65	0.097	350 - 400

BULB 'T'




Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	2401	24.0	24.0	1.50	0.197	700 - 800
2	2402	24.0	36.0	1.50	0.246	900 - 1000
3	EXT-2113	38.0	38.0	1.50	0.320	1150 - 1250
4	EXT-2114	38.0	50.0	1.50	0.368	1300 - 1400

PLAIN 'T'



Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	2403	18.0	18.0	1.18	0.110	399 - 599
2	2404	25.0	25.0	1.18	0.155	562 - 762
3	EXT-1243	60.0	60.0	4.00	1.259	4600 - 4700


PLAIN ROUND TUBE



Sr. No.	Section No.	D	d	Wt. / Mtr In Kgs
1	2502	9.5	7.0	0.087
2	EXT-2320	10.0	5.0	0.159
3	2503	10.0	8.0	0.076
4	EXT-1065	10.0	8.4	0.062
5	2514	12.0	10.0	0.093
6	EXT-1066	12.0	10.56	0.069
7	EXT-3154	12.5	5.5	0.267
8	2504	13.0	10.0	0.146
9	EXT-1849	15.0	11.50	0.197
10	EXT-3698	15.0	13.8	0.073
11	EXT-3064	16.0	4.8	0.494
12	EXT-2984	16.0	12.8	0.195
13	EXT-1850	16.50	13.20	0.208
14	EXT-2197	17.50	6.40	0.562
15	EXT-1446	19.0	15.0	0.288
16	2505	19.0	16.0	0.223
17	EXT-3507	19.0	16.6	0.181
18	EXT-1387	19.05	15.85	0.237
19	EXT-3444	19.5	15.5	0.297
20	EXT-1313	19.6	8.8	0.722
21	EXT-2102	19.6	15.0	0.337
22	EXT-3879	19.6	15.6	0.298
23	EXT-896	20.0	10.0	0.636
24	EXT-2646	20.0	18.0	0.150
25	EXT-3542	20.5	16.1	0.341
26	EXT-1222	21.0	17.0	0.322
27	2506	22.0	17.0	0.413
28	EXT-3543	23.0	18.1	0.427
29	EXT-3697	23.0	20.2	0.256
30	EXT-897	23.20	11.20	0.875
31	2507	25.0	17.0	0.712
32	2529	25.0	19.0	0.560
33	2508	25.0	22.0	0.299
34	EXT-2461	25.0	24.0	0.104

Sr. No.	Section No.	D	d	Wt. / Mtr In Kgs
35	EXT-4159	25.2	21.2	0.393
36	EXT-3993	25.2	24.0	0.125
37	EXT-1314	25.4	12.5	1.036
38	EXT-1388	25.40	21.40	0.397
39	EXT-1615	25.40	22.20	0.323
40	EXT-3696	25.40	22.60	0.285
41	EXT-1315	27.0	16.0	1.003
42	EXT-2851	27.15	20.35	0.685
43	EXT-3544	27.5	22.0	0.577
44	EXT-1960	28.0	9.0	1.490
45	2509	28.0	18.5	0.936
46	2512	28.0	22.0	0.636
47	EXT-3358	28.0	22.8	0.560
48	EXT-4248	30.0	20.0	1.060
49	EXT-2885	30.0	22.0	0.881
50	EXT-898	30.14	16.66	1.337
51	EXT-4158	30.2	26.2	0.478
52	EXT-2710	30.9	22.3	0.970
53	EXT-1366	31.0	22.0	1.011
54	EXT-3151	31.0	25.0	0.712
55	EXT-899	32.0	18.0	1.484
56	8502	32.0	23.0	1.050
57	EXT-1961	33.0	9.0	2.137
58	EXT-1962	35.0	10.0	2.385
59	EXT-1316	35.0	18.0	1.910
60	EXT-2525	36.0	26.0	1.314
61	2510	36.0	28.0	1.085
62	EXT-1958	36.0	29.0	0.965
63	EXT-3150	36.0	29.0	0.965
64	EXT-1963	36.0	11.0	2.491
65	EXT-2931	37.5	28.5	1.259
66	EXT-1072	37.58	26.40	1.516
67	EXT-1317	38.0	23.0	1.940
68	EXT-3326	38.0	24.0	1.840
69	EXT-1964	38.1	13.1	2.713
70	EXT-2437	38.38	26.4	1.645
71	EXT-1965	39.0	14.0	2.809
72	EXT-1225	40.40	33.80	1.038
73	EXT-1383	41.0	30.0	1.655
74	EXT-1070	41.67	32.55	1.435


PLAIN ROUND TUBE



Sr. No.	Section No.	D	d	Wt. / Mtr In Kgs
75	EXT-3256	42.0	28.0	2.077
76	EXT-900	42.50	15.50	3.320
77	EXT-3235	44.5	38.5	1.055
78	EXT-901	45.0	20.0	3.445
79	EXT-3729	45.0	40.0	0.901
80	EXT-1710	46.0	15.50	3.976
81	EXT-1384	46.0	35.0	1.889
82	EXT-4107	46.0	36.0	1.738
83	2511	47.0	25.0	3.358
84	EXT-1071	47.92	38.90	1.660
85	EXT-3905	48.0	28.6	3.150
86	EXT-3877	48.0	31.0	2.847
87	2513	49.5	35.7	2.492
88	EXT-1476	50.0	14.0	4.884
89	EXT-1475	50.0	32.0	3.129
90	EXT-1966	50.0	32.0	3.129
91	EXT-4032	50.0	40.0	1.908
92	EXT-4027	50.5	31.0	3.276
93	EXT-1477	52.0	20.0	4.884
94	EXT-2794	52.0	35.0	3.135
95	EXT-4180	54.0	35.0	3.585
96	EXT-2886	54.0	34.0	3.731
97	2515	55.0	35.0	3.816
98	8509	55.0	50.0	1.120
99	EXT-3236	56.0	40.0	3.256
100	2516	56.0	42.0	2.908
101	EXT-1478	57.0	23.0	5.766
102	EXT-3362	58.4	37.4	4.265
103	8510	60.0	55.0	1.210
104	EXT-1179	60.1	49.2	2.521
105	2517	61.0	55.0	1.475
106	EXT-1479	62.0	30.0	6.241
107	EXT-1471	63.0	57.0	1.526
108	EXT-3237	69.0	50.5	4.686

Sr. No.	Section No.	D	d	Wt. / Mtr In Kgs
109	EXT-1968	70.0	26.0	8.954
110	EXT-2927	70.0	65.6	1.265
111	EXT-1967	71.0	33.0	8.378
112	EXT-4214	72.0	64.0	2.306
113	EXT-1470	73.0	63.0	2.883
114	EXT-3361	75.0	70.0	1.534
115	EXT-3238	76.0	52.0	6.512
116	EXT-4255	78.0	65.6	3.775
117	EXT-2986	80.0	66.0	4.333
118	EXT-1969	80.0	56.0	6.919
119	EXT-1226	81.50	33.50	11.701
120	EXT-1829	82.0	32.0	12.083
121	EXT-3878	82.5	76.5	2.022
122	EXT-1177	88.5	73.8	5.057
123	EXT-2615	91.0	32.0	15.384
124	EXT-2617	93.0	67.0	8.818
125	EXT-4231	95.0	87.4	2.939
126	EXT-3239	100.0	80.0	7.631
127	EXT-3240	101.8	95.5	2.635
128	EXT-1955	103.0	63.0	14.076
129	EXT-2355	106.5	89.0	7.252
130	EXT-4232	108.0	99.5	3.739
131	EXT-2616	107.0	77.0	11.701
132	EXT-3204	109.0	100.0	3.987
133	EXT-1134	111.5	87.0	10.309
134	EXT-1474	112.0	92.0	8.649
135	EXT-1953	113.0	83.0	12.465
136	EXT-1647	114.30	97.18	7.675
137	EXT-1221	113.9	107.9	2.821
138	EXT-1690	114.30	101.60	5.812
139	EXT-4218	118.0	111.0	3.398
140	EXT-1954	120.0	96.0	10.989
141	EXT-2873	120.0	104.0	7.597
142	EXT-4233	120.0	111.5	4.171
143	EXT-3752	128.0	120.0	4.206
144	EXT-4234	133.0	124.5	4.640
145	EXT-2356	163.5	153.5	6.720
146	EXT-1373	164.5	128.0	22.632
147	EXT-1875	173.0	156.0	11.856
148	EXT-2618	180.0	150.0	20.986


ROUND BAR



Sr. No.	Section No.	D	Wt./Mtr In Kgs
1	2713	4.0	0.034
2	EXT-2878	5.8	0.071
3	2701	6.0	0.076
4	2714	7.85	0.131
5	2702	8.0	0.136
6	2703	9.0	0.172
7	2715	9.35	0.185
8	2716	9.50	0.191
9	2717	10.0	0.212
10	2718	10.50	0.234
11	EXT-741	11.0	0.256
12	2719	11.35	0.273
13	2720	11.50	0.280
14	2721	11.75	0.293
15	2722	12.35	0.323
16	2704	15.0	0.477
17	2723	15.75	0.526
18	EXT-1353	16.0	0.543
19	EXT-1643	17.0	0.613
20	EXT-2384	17.5	0.650
21	EXT-4226	18.7	0.741
22	EXT-1600	19.0	0.765
23	2724	19.50	0.806


Sr. No.	Section No.	D	Wt./Mtr In Kgs
24	EXT-1644	20.0	0.848
25	2725	21.0	0.935
26	2726	22.0	1.026
27	2727	23.0	1.121
28	2728	24.50	1.272
29	EXT-1480	25.4	1.368
30	2707	25.8	1.411
31	2729	26.0	1.433
32	2730	27.0	1.545
33	2731	28.0	1.662
34	EXT-1481	28.6	1.731
35	2732	31.0	2.037
36	EXT-1483	32.0	2.171
37	2705	34.0	2.451
38	EXT-1484	34.9	2.585
39	2706	36.0	2.747
40	EXT-1485	38.1	3.077
41	2710	40.0	3.393
42	EXT-1486	41.0	3.563
43	EXT-1487	45.0	4.293
44	2708	48.0	4.884
45	EXT-1488	50.0	5.300
46	EXT-1489	53.5	6.067

ROUND BAR




Sr. No.	Section No.	D	Wt./Mtr In Kgs
47	EXT-1490	55.0	6.412
48	EXT-1491	60.0	7.634
49	2709	65.0	8.956
50	EXT-1492	70.0	10.387
51	EXT-1668	80.0	13.567
52	EXT-1669	85.0	15.316
53	2711	90.0	17.170
54	EXT-2071	92.7	18.216
55	EXT-2668	100.0	21.20
56	EXT-1670	101.6	21.882
57	2712	111.0	26.118
58	EXT-1171	112.5	26.829

SQUARE BAR




Sr. No.	Section No.	A	Wt. / Mtr In Kgs
1	2305	15.0	0.608
2	2306	20.0	1.080
3	2307	22.0	1.33
4	EXT-1465	25.4	1.741
5	2309	31.75	2.721
6	EXT-1572	38.0	3.897
7	2310	40.0	4.320
8	EXT-1573	50.8	6.965
9	EXT-2073	55.0	8.165
10	EXT-1676	76.2	15.672
11	EXT-2667	80.0	17.28
12	EXT-1574	83.0	18.593

HEXAGONAL BAR



Sr. No.	Section No.	A	Wt. / Mtr In Kgs
1	EXT-2689	12.7	0.377
2	EXT-2688	17.0	0.676
3	EXT-2687	19.0	0.844
4	2906	22.0	1.131
5	2908	25.0	1.467
6	EXT-3221	29.0	1.966
7	2912	38.1	3.394
8	2915	50.0	5.846


HEXAGONAL PIPE



Sr. No.	Section No.	A	B	Wt. / Mtr In Kgs
1	EXT-1847	22.20	Ø15.0	0.675
2	EXT-1846	27.0	Ø20.0	0.856
3	EXT-4500	50.8	Ø31.8	3.889


ARCHITECTURAL TUBES

18mm FLUTED TUBE




Sr. No.	Section No.	D	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	2801	18.0	0.60	0.109	400 - 500

24mm FLUTED TUBE




Sr. No.	Section No.	D	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	2802	24.0	0.50	0.125	450 - 500
2	2803	24.0	0.55	0.140	500 - 550
3	2804	24.0	0.65	0.155	550 - 600

SLOT ROUND TUBE




Sr. No.	Section No.	D	d	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	2805	32.0	28.0	2.00	0.513	1880 - 2080
2	2806	36.0	32.2	1.90	0.553	2050 - 2250
3	2807	42.0	38.0	2.00	0.699	2560 - 2600

SQUARE TUBE



Sr. No.	Section No.	A	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-3921	19.0	1.60	0.301	1100 - 1300
2	EXT-298	20.0	1.62	0.322	1150 - 1350
3	EXT-3922	20.0	2.00	0.389	1400 - 1600
4	2601	24.0	0.65	0.163	600 - 700
5	EXT-1827	29.4	1.30	0.394	1400 - 1600
6	EXT-1826	35.0	1.30	0.473	1700 - 1900
7	2602	36.0	1.10	0.443	1600 - 1800
8	EXT-2061	40.0	2.00	0.820	2900 - 3100
9	2603	48.0	1.40	0.710	2600 - 2800
10	EXT-4000	50.0	1.20	0.632	2300 - 2500
11	EXT-3196	75.0	2.00	1.576	5750 - 5950
12	2604	100.0	0.80	0.857	3100 - 3300

RECTANGULAR TUBES



30.0 mm X 15.0 mm R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-906	30.0	15.0	0.8	0.187	650 - 800

1^{1/2} X 1 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1201	36.0	24.0	0.70	0.221	750 - 900
2	1202	36.0	24.0	0.78	0.246	900 - 1100
3	1203	36.0	24.0	0.89	0.279	1100 - 1300
4	EXT-1104	38.1	25.4	1.10	0.364	1300 - 1500

40.0 mm X 20.0 mm R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-3920	40.0	20.0	2.0	0.605	2200 - 2400

44X 20 mm. R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-2642	44.0	20.0	2.00	0.648	2300-2500

45.0 mm X 40.0 mm R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-2870	45.0	40.0	3.0	1.298	4750 - 4950

2 X 1 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1204	48.0	24.0	0.75	0.205	900 - 1100
2	1205	48.0	24.0	0.85	0.296	1100 - 1300
3	1206	48.0	24.0	0.95	0.359	1300 - 1400
4	1207	48.0	24.0	1.35	0.505	1800 - 1900

55.0 mm X 34.0 mm R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-3419	55.0	34.0	2.0	0.918	3350 - 3550

2^{1/2} X 1 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1208	63.0	24.0	0.85	0.391	1300 - 1500
2	1209	63.0	24.0	0.90	0.414	1500 - 1700
3	1210	63.0	24.0	1.11	0.508	1700 - 1900
4	1211	63.0	24.0	1.30	0.592	2000 - 2200

2^{1/2} X 1^{1/2} R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1212	63.0	37.0	0.85	0.451	1500 - 1700
2	1213	63.0	37.0	0.95	0.503	1700 - 1900
3	1214	63.0	37.0	1.15	0.606	2100 - 2300

3 X 1 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1215	72.0	24.0	0.85	0.432	1500 - 1700
2	1216	72.0	24.0	0.99	0.502	1800 - 2000
3	1217	72.0	24.0	1.20	0.606	2200 - 2400

3 X 2 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-2783	75.0	50.0	2.5	1.619	5900 - 6100

3^{1/4} X 1^{1/2} R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1218	83.0	37.0	0.95	0.605	2200 - 2400
2	1219	83.0	37.0	1.30	0.824	3000 - 3200

4 X 1 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1220	92.0	24.0	0.95	0.585	2100 - 2300
2	1221	92.0	24.0	1.11	0.681	2400 - 2600
3	1222	92.0	24.0	1.30	0.796	2900 - 3100

4 X 1^{1/2} R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1223	92.0	36.0	0.95	0.646	2300 - 2500
2	1224	100.0	38.0	0.90	0.661	2300 - 2500
3	1225	100.0	38.0	1.00	0.734	2500 - 2700
4	1226	100.0	38.0	2.50	1.795	6500 - 6600

4 X 1^{3/4} R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1227	100.0	44.0	0.90	0.691	2500 - 2700
2	1228	100.0	44.0	1.00	0.766	2800 - 2900
3	1229	100.0	44.0	2.50	1.876	6800 - 7500


100.0 mm X 45.0 mm R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-4235	100.0	45.0	1.5	1.150	4200 - 4400

5 X 1 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1230	122.0	24.0	1.10	0.854	3100 - 3300
2	1231	122.0	24.0	1.45	1.120	4000 - 4200

RECTANGULAR TUBES



5 X 1^{1/2} R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1232	123.0	36.0	1.20	1.014	3600 - 3800

5 X 3 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-3177	125.0	75.0	1.5	1.595	5800 - 6000

5 X 3 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-3178	125.0	75.0	2.5	2.631	9600 - 9800

5 X 4 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-2701	125.0	100.0	2.0	2.386	8700 - 8900

6 X 1 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1233	150.0	24.0	1.25	1.157	4200 - 4400

6 X 1 R.T WITH GROOVE

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1234	150.0	24.0	1.25	1.844	6500 - 7000

6 X 3 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-2807	150.0	75.0	2.0	2.386	8700 - 8900

165.0 mm X 66.0 mm R.T


Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-4355	165.0	66.0	8.0	9.285	33900-34100

8 X 3 R.T

Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	EXT-2258	200.0	75.0	2.00	2.926	10700-10900


L - TUBES

1^{1/2} X 1 L TUBE



Sr. No.	Section No.	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1235	0.80	0.222	800 - 1000
2	1236	1.00	0.273	1000 - 1200

2 X 1 L TUBE




Sr. No.	Section No.	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	1237	0.80	0.277	1000 - 1100
2	1238	0.90	0.300	1100 - 1300

1.5 X 1 L TUBE

1239


0.292 Kg/M




SPL - 'L' SECTION 3" X 1"

1240

0.819 Kg/M



TRIANGULAR TUBES




Sr. No.	Section No.	A	B	T	Wt. / Mtr In Kgs	Wt. Range Gms / 12'
1	2604	76.20	66.21	1.25	0.759	2700 - 2900
2	EXT-2416	153.0	132.75	1.92	2.398	8700 - 8900

DOOR CENTER

1301


1.60 Kg/M



HARDWARE PROFILES


EXT-4098

1.393 Kg/M




EXT-4102

0.472 Kg/M




EXT-4103

0.231 Kg/M




EXT-4099

1.833 Kg/M



EXT-4100

2.000 Kg/M



EXT-4101

1.930 Kg/M

